ELSEVIER

Electroencephalography and clinical Neurophysiology 104 (1997) 559–562

Index of Authors

VOLUME 104 (1997)

(Authors from Abstracts of Society Proceedings are not included)

Adeleine, P., see Mauguière, F. (104) 290
Adeleine, P.,see Mauguière, F. (104) 281
Alain, C., Woods, D.L., Covarrubias, D., Activation of duration-sensitive auditory cortical fields in humans (104) 531
Arakawa, K., Tobimatsu, S., Kato, M., Kobayashi, T., Different effects of cholinergic agents on responses recorded from the cat visual cortex and lateral geniculate nucleus dorsalis (104) 375
Araki, A., Yamada, T., Ito, T., Urushibara, N., Kohira, R., Hsu, S.-P., Yeh, M., Dissociation between upper and lower neck N13 potentials following paired median nerve stimuli (104) 68
Aronen, H.J., see Wikström, H. (104) 480

Balbi, P., see Perretti, A. (104) 383
Balzarini, C., see Mazzini, L. (104) 411
Beck, H., see Lorenz, J. (104) 514
Begleiter, H., see Lei Zhang, X. (104) 546
Beisteiner, R., see Lalouschek, W. (104) 222
Bertrand, O., see Morlet, D. (104) 437
Beydoun, A., Drury, I., Vanderzant, C., Relative value of the inion and mid-parietal locations as additional recording sites in pattern reversal visual evoked potentials (104) 369
Beydoun, A., see Svensson, P. (104) 343
Bezerianos, A., see Laskaris, N. (104) 151
Boulieu, R., see Morlet, D. (104) 437
Bozet, C., see Deltenre, P. (104) 10
Bozet, C., see Deltenre, P. (104) 17
Brigatti, M., see Mazzini, L. (104) 411
Bromm, B., see Lorenz, J. (104) 514
Bucci, M.G., see Parisi, V. (104) 171
Burghoff, M., see Mackert, B.-M. (104) 322

Camu, W., see Georgesco, M. (104) 333
Cardenas, V.A., McCallin, K., Hopkins, R., Fein, G., A comparison of the repetitive click and conditioning-testing P50 paradigms (104) 157
Casey, K.L., see Svensson, P. (104) 343
Chen, C.-H., see Ninomiya, H. (104) 23
Claus, D., see Foerster, A. (104) 207
Clercx, A., see Deltenre, P. (104) 10
Clercx, A., see Deltenre, P. (104) 17
Cobianchi, A., Giaquinto, S., Event-related potentials to Italian spoken words (104) 213
Collura, T.F., see Hamano, T. (104) 257
Comair, Y.G., see Hamano, T. (104) 257
Covarrubias, D., see Alain, C.,531
Covington, J.W., see Morgan, C.D. (104) 351
Csépe, V., Pantev, C., Hoke, M., Ross, B., Hampson, S., Mismatch field to tone pairs: neuromagnetic evidence for temporal integration at the sensory level (104) 1
Curio, G., see Mackert, B.-M. (104) 322
Custodio-Ramírez, V., Paz, C., Ozone produces functional deficits in the rat visual pathway (104) 269

De Bernardo, G., see Perretti, A. (104) 383
de Tourtchaninoff, M., see Guérit, J.-M. (104) 459
Deguchi, K., see Touge, T. (104) 108
Deltenre, P., Mansbach, A.L., Bozet, C., Clercx, A., Hecox, K.E., Temporal distortion products (kernel slices) evoked by maximum-length-sequences in auditory neuropathy: evidence for a cochlear pre-synaptic origin (104) 10
Deltenre, P., Mansbach, A.L., Bozet, C., Clercx, A., Hecox, K.E., Auditory neuropathy: a report on three cases with early onsets and major neonatal illnesses (104) 17
Di Lazzaro, V., see Valeriani, M. (104) 122
Di Lazzaro, V., see Valeriani, M. (104) 60
Dichgans, J., see Herbst, H. (104) 82
Dinner, D.S., see Noachtar, S. (104) 189
Dion, R., see Guérit, J.-M. (104) 115
Dion, R., see Guérit, J.-M. (104) 459
Doherty, B., see Stefanatos, G.A. (104) 31
Don, M., see Ponton, C.W. (104) 143
Drury, I., see Beydoun, A. (104) 369

Eggermont, J.J., see Ponton, C.W. (104) 143
Elidan, J., see Plotnik, M. (104) 522

Fabiani, M., see Friedman, D. (104) 498
Fein, G., see Cardenas, V.A. (104) 157
Fiaschi, A., see Tinazzi, M. (104) 312
Fischer, C., see Morlet, D. (104) 437
Fish, D.R., see Raymond, A.A. (104) 132
Foerster, A., Schmitz, J.M., Nouri, S., Claus, D., Safety of rapid-rate transcranial magnetic stimulation: heart rate and blood pressure changes (104) 207
Foley, C., see Stefanatos, G.A. (104) 31
Forss, N., see Mauguière, F. (104) 290
Forss, N.,see Mauguière, F. (104) 281

0168-5597/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0168-5597(97)00087-7

EEP 20005

Fotopoulos, S., see Laskaris, N. (104) 151
Fowler, B., see Pang, E.W. (104) 555
Friedman, D., Kazmerski, V., Fabiani, M., An overview of age-related changes in the scalp distribution of P3b (104) 498
Fukuyama, H., see Mima, T. (104) 51
Furubayashi, T., see Ugawa, Y. (104) 453

Gareri, F., see Mazzini, L. (104) 411
Geisler, M.W., see Morgan, C.D. (104) 351
Genba-Shimizu, K., see Sonoo, M. (104) 296
Georgesco, M., Salerno, A., Camu, W., Somatosensory evoked potentials elicited by stimulation of lower-limb nerves in amyotrophic lateral sclerosis (104) 333
Ghariani, S., see Guérit, J.-M. (104) 459
Ghariani, S., see Witdoeckt, C. (104) 328
Giaquinto, S., see Cobianchi, A. (104) 213
Glorieux, J., see Lavoie, M.E. (104) 228
Gnidovec, B., see Prestor, B. (104) 470
Goldenberg, G., see Lalouschek, W. (104) 222
Golob, P., see Prestor, B. (104) 470
Grover, W., see Stefanatos, G.A. (104) 31
Guérit, J.-M., see Witdoeckt, C. (104) 328
Guérit, J.-M., Witdoeckt, C., de Tourtchaninoff, M., Ghariani, S., Matta, A., Dion, R., Verhelst, R., Somatosensory evoked potential monitoring in carotid surgery. I. Relationships between qualitative SEP alterations and intraoperative events (104) 459
Guérit, J.-M., Witdoeckt, C., Rubay, J., Matta, A., Dion, R., The usefulness of the spinal and subcortical components of the posterior tibial nerve SEPs for spinal cord monitoring during aortic coarctation repair (104) 115

Hallett, M., see Leocani, L. (104) 199
Hamano, T., Lüders, H.O., Ikeda, A., Collura, T.F., Comair, Y.G., Shibasaki, H., The cortical generators of the contingent negative variation in humans: a study with subdural electrodes (104) 257
Hampson, S., see Csépe, V. (104) 1
Hanajima, R., see Ugawa, Y. (104) 453
Harada, T., Tokuriki, M., Brain-stem auditory evoked potentials in the common marmoset (*Callithrix jacchus*) (104) 43
Hari, R., see Mauguière, F. (104) 290
Hari, R.,see Mauguière, F. (104) 281
Hecox, K.E., see Deltenre, P. (104) 10
Hecox, K.E., see Deltenre, P. (104) 17
Herbst, H., Ketabi, A., Thier, P., Dichgans, J., Comparison of psychophysical and evoked potential methods in the detection of visual deficits in multiple sclerosis (104) 82
Hoke, M., see Csépe, V. (104) 1
Honda, M., see Nishida, S. (104) 431
Hopkins, R., see Cardenas, V.A. (104) 157
Hoshiyama, M., see Xiang, J. (104) 393
Hsu, S.-P., see Araki, A. (104) 68
Huttunen, J., Does the P35m SEF deflection really come from the motor cortex? (104) 101
Huttunen, J., see Wikström, H. (104) 480

Ichihara, N., see Touge, T. (104) 108
Iinuma, K., Lombroso, C.T., Matsumiya, Y., Prognostic value of visual evoked potentials (VEP) in infants with visual inattentiveness (104) 165
Ikeda, A., see Hamano, T. (104) 257
Ikeda, A., see Mima, T. (104) 103
Ikeda, A., see Mima, T. (104) 51
Ilmoniemi, R.J., see Wikström, H. (104) 480
Ippoliti, D., see Parisi, V. (104) 171
Ishido, K., see Tobimatsu, S. (104) 274
Ito, T., see Araki, A. (104) 68

Jones, S.J., see Raymond, A.A. (104) 132
Jousmäki, V., see Mauguière, F. (104) 290
Jousmäki, V.,see Mauguière, F. (104) 281

Kakigi, R., see Xiang, J. (104) 393
Kanazawa, I., see Ugawa, Y. (104) 453
Kaneoke, Y., see Xiang, J. (104) 393
Kany, C., Treede, R.-D., Median and tibial nerve somatosensory evoked potentials: middle-latency components from the vicinity of the secondary somatosensory cortex in humans (104) 402
Kato, M., see Arakawa, K. (104) 375
Kato, M., see Tobimatsu, S. (104) 274
Kazmerski, V., see Friedman, D. (104) 498
Ketabi, A., see Herbst, H. (104) 82
Kimura, J., see Mima, T. (104) 103
Kimura, J., see Mima, T. (104) 51
Kinukawa, N., see Ninomiya, H. (104) 23
Klem, G., see Noachtar, S. (104) 189
Kobayashi, T., see Arakawa, K. (104) 375
Kohira, R., see Araki, A. (104) 68
Kolev, V., see Yordanova, J. (104) 418
Koyama, S., see Xiang, J. (104) 393
Kraus, N., see McGee, T. (104) 359
Kraus, N., see Sharma, A. (104) 540
Kriss, A., see Shawkat, F.S. (104) 74
Kunieda, T., see Mima, T. (104) 103
Kwong, B., see Ponton, C.W. (104) 143

La Porta, F., see Tinazzi, M. (104) 312
Lalouschek, W., Goldenberg, G., Marterer, A., Beisteiner, R., Lindinger, G., Lang, W., Brain/behaviour dissociation on old/new distinction in a patient with amnesic syndrome (104) 222
Lang, W., see Lalouschek, W. (104) 222
Laskaris, N., Fotopoulos, S., Papathanasopoulos, P., Bezerianos, A., Robust moving averages, with Hopfield neural network implementation, for monitoring evoked potential signals (104) 151
Lavoie, M.E., Robaey, P., Stauder, J.E.A., Glorieux, J., Lefebvre, F., A topographical ERP study of healthy premature 5-year-old children in the auditory and visual modalities (104) 228
Le Pera, D., see Valeriani, M. (104) 122
Le Pera, D., see Valeriani, M. (104) 60
Lefebvre, F., see Lavoie, M.E. (104) 228
Lei Zhang, X., Begleiter, H., Porjesz, B., Litke, A., Reflection of working memory: ERP mnemonic effects (104) 546
Leocani, L., Toro, C., Manganotti, P., Zhuang, P., Hallett, M., Event-related coherence and event-related desynchronization/synchronization in the 10 Hz and 20 Hz EEG during self-paced movements (104) 199
Lindinger, G., see Lalouschek, W. (104) 222
Litke, A., see Lei Zhang, X. (104) 546

Lombroso, C.T., see Iinuma, K. (104) 165
Lopez, L., Sannita, W.G., Magnetically recorded oscillatory responses to luminance stimulation in man (104) 91
Lorenz, J., Beck, H., Bromm, B., Differential changes of laser evoked potentials, late auditory evoked potentials and P300 under morphine in chronic pain patients (104) 514
Lüders, H.O., see Hamano, T. (104) 257
Lüders, H.O., see Noachtar, S. (104) 189

Machii, K., see Ugawa, Y. (104) 453
Mackert, B.-M., Curio, G., Burghoff, M., Marx, P., Mapping of tibial nerve evoked magnetic fields over the lower spine (104) 322
Mager, M., see Plotnik, M. (104) 522
Manganotti, P., see Leocani, L. (104) 199
Mannen, T., see Sonoo, M. (104) 296
Manni, G., see Parisi, V. (104) 171
Mansbach, A.L., see Deltenre, P. (104) 10
Mansbach, A.L., see Deltenre, P. (104) 17
Marterer, A., see Lalouschek, W. (104) 222
Marx, P., see Mackert, B.-M. (104) 322
Matsumiya, Y., see Iinuma, K. (104) 165
Matta, A., see Guérit, J.-M. (104) 115
Matta, A., see Guérit, J.-M. (104) 459
Mauguière, F., Merlet, I., Forss, N., Vanni, S., Jousmäki, V., Adeleine, P., Hari, R., Activation of a distributed somatosensory cortical network in the human brain. A dipole modelling study of magnetic fields evoked by median nerve stimulation. Part I: location and activation timing of SEF sources (104) 281
Mauguière, F., Merlet, I., Forss, N., Vanni, S., Jousmäki, V., Adeleine, P., Hari, R., Activation of a distributed somatosensory cortical network in the human brain: a dipole modelling study of magnetic fields evoked by median nerve stimulation. Part II: effects of stimulus rate, attention and stimulus detection (104) 290
Mauguière, F., see Tinazzi, M. (104) 312
Mauguière, F., see Valeriani, M. (104) 60
Mazzini, L., Balzarini, C., Gareri, F., Brigatti, M., H-reflex changes in the course of amyotrophic lateral sclerosis (104) 411
McCallin, K., see Cardenas, V.A. (104) 157
McGee, T., Kraus, N., Nicol, T., Is it really a mismatch negativity? An assessment of methods for determining response validity in individual subjects (104) 359
McGee, T.J., see Sharma, A. (104) 540
Menzinger, G., see Parisi, V. (104) 171
Merlet, I., see Mauguière, F. (104) 290
Merlet, I.,see Mauguière, F. (104) 281
Mertens, R., Polich, J., P300 from a single-stimulus paradigm: passive versus active tasks and stimulus modality (104) 488
Mikuni, N., see Mima, T. (104) 103
Mima, T., Ikeda, A., Terada, K., Yazawa, S., Mikuni, N., Kunieda, T., Taki, W., Kimura, J., Shibasaki, H., Modality-specific organization for cutaneous and proprioceptive sense in human primary sensory cortex studied by chronic epicortical recording (104) 103
Mima, T., Terada, K., Ikeda, A., Fukuyama, H., Takigawa, T., Kimura, J., Shibasaki, H., Afferent mechanism of cortical myoclonus studied by proprioception-related SEPs (104) 51
Monticone, G., see Parisi, V. (104) 171
Morgan, C.D., Covington, J.W., Geisler, M.W., Polich, J., Murphy, C., see Morgan, C.D. (104) 351
Morlet, D., Bertrand, O., Salord, F., Boulieu, R., Pernier, J., Fischer, C., Dynamics of MLAEP changes in midazolam-induced sedation (104) 437
Morrow, T.J., see Svensson, P. (104) 343
Murphy, C., see Morgan, C.D. (104) 351

Naka, D., see Xiang, J. (104) 393
Nakamura, M., see Nishida, S. (104) 431
Nicol, T., see McGee, T. (104) 359
Nicol, T.G., see Sharma, A. (104) 540
Ninomiya, H., Onitsuka, T., Chen, C.-H., Kinukawa, N., Possible overlapping potentials of the auditory P50 in humans: factor analysis of middle latency auditory evoked potentials (104) 23
Nishida, S., Nakamura, M., Suwazono, S., Honda, M., Shibasaki, H., Estimate of physiological variability of peak latency in single sweep P300 (104) 431
Noachtar, S., Lüders, H.O., Dinner, D.S., Klem, G., Ipsilateral median somatosensory evoked potentials recorded from human somatosensory cortex (104) 189
Nouri, S., see Foerster, A. (104) 207

Onitsuka, T., see Ninomiya, H. (104) 23

Pang, E.W., Fowler, B., Use of nitrous oxide to dissociate the non-specific and specific components of the human auditory N_1 (104) 555
Pantev, C., see Csépe, V. (104) 1
Papathanasopoulos, P., see Laskaris, N. (104) 151
Parisi, L., see Parisi, V. (104) 171
Parisi, V., Uccioli, L., Monticone, G., Parisi, L., Manni, G., Ippoliti, D., Menzinger, G., Bucci, M.G., Electrophysiological assessment of visual function in IDDM patients (104) 171
Paz, C., see Custodio-Ramírez, V. (104) 269
Pernier, J., see Morlet, D. (104) 437
Perretti, A., Savanelli, A., Balbi, P., De Bernardo, G., Pudendal nerve somatosensory evoked potentials in paediatrics: maturation aspects (104) 383
Plotnik, M., Elidan, J., Mager, M., Sohmer, H., Short latency vestibular evoked potentials (VsEPs) to linear acceleration impulses in rats (104) 522
Podnar, S., Vodusek, D.B., Trsinar, B., Rodi, Z., A method of uroneurophysiological investigation in children (104) 389
Polich, J., see Mertens, R. (104) 488
Polich, J., see Morgan, C.D. (104) 351
Polich, J.,EEG and ERP assessment of normal aging (104) 244
Polo, A., see Tinazzi, M. (104) 312
Ponton, C.W., Don, M., Eggermont, J.J., Kwong, B., Integrated mismatch negativity (MMN_i): a noise-free representation of evoked responses allowing single-point distribution-free statistical tests (104) 143
Porjesz, B., see Lei Zhang, X. (104) 546
Prestor, B., Gnidovec, B., Golob, P., Long sensory tracts (cuneate fascicle) in cervical somatosensory evoked potential after median nerve stimulation (104) 470

Raymond, A.A., Jones, S.J., Fish, D.R., Stewart, J., Stevens, J.M., Somatosensory evoked potentials in adults with cortical dysgenesis and epilepsy (104) 132
Restuccia, D., see Valeriani, M. (104) 122

Restuccia, D., see Valeriani, M. (104) 60
Robaey, P., see Lavoie, M.E. (104) 228
Rodi, Z., see Podnar, S. (104) 389
Roine, R.O., see Wikström, H. (104) 480
Ross, B., see Csépe, V. (104) 1
Rubay, J., see Guérit, J.-M. (104) 115

Sakai, K., see Ugawa, Y. (104) 453
Sakamoto, A.C., see Tumas, V. (104) 96
Salerno, A., see Georgesco, M. (104) 333
Salonen, O., see Wikström, H. (104) 480
Salord, F., see Morlet, D. (104) 437
Sannita, W.G., see Lopez, L. (104) 91
Sasaki, I., see Touge, T. (104) 108
Savanelli, A., see Perretti, A. (104) 383
Scerrati, M., see Valeriani, M. (104) 60
Schmitz, J.M., see Foerster, A. (104) 207
Sharma, A., Kraus, N., McGee, T.J., Nicol, T.G., Developmental changes in P1 and N1 central auditory responses elicited by consonant-vowel syllables (104) 540
Shaw, N.A.,The effects of electroconvulsive shock on the flash visual evoked potential in the rat (104) 180
Shawkat, F.S., Kriss, A., Interocular interaction assessed by VEPs to pattern-onset, -reversal, and -offset in normally sighted and amblyopic subjects (104) 74
Shibasaki, H., see Hamano, T. (104) 257
Shibasaki, H., see Mima, T. (104) 103
Shibasaki, H., see Mima, T. (104) 51
Shibasaki, H., see Nishida, S. (104) 431
Shima, F., see Tobimatsu, S. (104) 274
Shimizu, T., see Sonoo, M. (104) 296
Shinba, T.,Event-related potentials of the rat during active and passive auditory oddball paradigms (104) 447
Sohmer, H., see Plotnik, M. (104) 522
Somatosensory evoked magnetic fields to median nerve stimulation: interhemispheric differences in a normal population (104) 480
Sonoo, M., Genba-Shimizu, K., Mannen, T., Shimizu, T., Detailed analysis of the latencies of median nerve somatosensory evoked potential components, 2: analysis of subcomponents of the P13/14 and N20 potentials (104) 296
Stauder, J.E.A., see Lavoie, M.E. (104) 228
Stefanatos, G.A., Foley, C., Grover, W., Doherty, B., Steady-state auditory evoked responses to pulsed frequency modulations in children (104) 31
Stevens, J.M., see Raymond, A.A. (104) 132
Stewart, J., see Raymond, A.A. (104) 132
Suwazono, S., see Nishida, S. (104) 431
Svensson, P., Beydoun, A., Morrow, T.J., Casey, K.L., Non-painful and painful stimulation of human skin and muscle: analysis of cerebral evoked potentials (104) 343

Takeshima, Y., see Xiang, J. (104) 393
Takeuchi, H., see Touge, T. (104) 108
Taki, W., see Mima, T. (104) 103
Takigawa, T., see Mima, T. (104) 51
Terada, K., see Mima, T. (104) 103
Terada, K., see Mima, T. (104) 51
Terao, Y., see Ugawa, Y. (104) 453
Thier, P., see Herbst, H. (104) 82
Tinazzi, M., Zanette, G., La Porta, F., Polo, A., Volpato, D., Fiaschi, A., Mauguière, F., Selective gating of lower limb cortical somatosensory evoked potentials (SEPs) during passive and active foot movements (104) 312
Tobimatsu, S., see Arakawa, K. (104) 375
Tobimatsu, S., Shima, F., Ishido, K., Kato, M., Visual evoked potentials in the vicinity of the optic tract during stereotactic pallidotomy (104) 274
Tokuriki, M., see Harada, T. (104) 43
Tonali, P., see Valeriani, M. (104) 122
Tonali, P., see Valeriani, M. (104) 60
Toro, C., see Leocani, L. (104) 199
Touge, T., Takeuchi, H., Sasaki, I., Deguchi, K., Ichihara, N., Enhanced amplitude reduction of somatosensory evoked potentials by voluntary movement in the elderly (104) 108
Treede, R.-D., see Kany, C. (104) 402
Trsinar, B., see Podnar, S. (104) 389
Tumas, V., Sakamoto, A.C., Comparison of the mechanisms of latency shift in pattern reversal visual evoked potential induced by blurring and contrast reduction (104) 96

Uccioli, L., see Parisi, V. (104) 171
Ugawa, Y., Terao, Y., Hanajima, R., Sakai, K., Furubayashi, T., Machii, K., Kanazawa, I., Magnetic stimulation over the cerebellum in patients with ataxia (104) 453
Urushibara, N., see Araki, A. (104) 68

Valeriani, M., Restuccia, D., Di Lazzaro, V., Le Pera, D., Scerrati, M., Tonali, P., Mauguière, F., Giant central N20-P22 with normal area 3b N20-P20: an argument in favour of an area 3a generator of early median nerve cortical SEPs? (104) 60
Valeriani, M., Restuccia, D., Di Lazzaro, V., Le Pera, D., Tonali, P., The pathophysiology of giant SEPs in cortical myoclonus: a scalp topography and dipolar source modelling study (104) 122
Vanderzant, C., see Beydoun, A. (104) 369
Vanni, S., see Mauguière, F. (104) 290
Vanni, S.,see Mauguière, F. (104) 281
Verhelst, R., see Guérit, J.-M. (104) 459
Virtanen, J., see Wikström, H. (104) 480
Vodusek, D.B., see Podnar, S. (104) 389
Volpato, D., see Tinazzi, M. (104) 312

Witdoeckt, C., Ghariani, S., Guérit, J.-M., Somatosensory evoked potential monitoring in carotid surgery. II. Comparison between qualitative and quantitative scoring systems (104) 328
Witdoeckt, C., see Guérit, J.-M. (104) 115
Witdoeckt, C., see Guérit, J.-M. (104) 459
Woods, D.L., see Alain, C.,531

Xiang, J., Kakigi, R., Hoshiyama, M., Kaneoke, Y., Naka, D., Takeshima, Y., Koyama, S., Somatosensory evoked magnetic fields and potentials following passive toe movement in humans (104) 393

Yamada, T., see Araki, A. (104) 68
Yazawa, S., see Mima, T. (104) 103
Yeh, M., see Araki, A. (104) 68
Yordanova, J., Kolev, V., Developmental changes in the event-related EEG theta response and P300 (104) 418

Zanette, G., see Tinazzi, M. (104) 312
Zhuang, P., see Leocani, L. (104) 199

ELSEVIER

Electroencephalography and clinical Neurophysiology 104 (1997) 563–570

Index of Subjects

VOLUME 104 (1997)

(Abstracts from Society Proceedings are not included)

Acoustically different (deviant) stimulus; Single (standard) auditory stimulus; Negative component; Mismatch negativity (MMN); Statistical evaluation (104) 143

Active oddball paradigm; Event-related potential; P3; Topography; Passive oddball paradigm; Rat (104) 447

Active/passive tasks; P300; Event-related potential (ERP); Single-stimulus paradigm; Auditory/visual stimuli; Clinical/applied (104) 488

Age; Olfactory stimulus; Inter-stimulus interval; Olfactory event-related potential (OERP) (104) 351

Aging; Electroencephalography (EEG); Event-related potential (ERP); P3(00); Spectral analysis (104) 244

Aging; P3b component; Scalp topography; Frontal cortex (104) 498

Aging; Somatosensory evoked potentials (SEPs); Gating; Voluntary movement; Stimulus intensity; Centrifugal mechanism; Stimulus frequency (104) 108

Amblyopia; Reversal; Onset/offset; Binocular (104) 74

Amnesia; Recognition memory; Event related potentials; Neuropsychology (104) 222

Amplitude; Visual evoked potentials; Pattern reversal; Topography; P100 (104) 369

Amyotrophic lateral sclerosis; H-Reflex; Monitoring; Prognosis (104) 411

Amyotrophic lateral sclerosis; Lower limb evoked potentials; Pyramidal tract; Dysfunction; Sensory system (104) 333

Aortic surgery; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials (104) 115

Area 3a; Somatosensory evoked potentials; Giant SEPs; N20; Tumour (104) 60

Arousal; N_1; Auditory evoked potentials; Nitrous oxide; N_2O (104) 555

Ataxia; Magnetic stimulation; Motor cortex; Cerebellum (104) 453

Attention; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex; Stimulus detection; Human brain (104) 290

Auditory development; Frequency modulation; Steady-state evoked responses (104) 31

Auditory evoked magnetic field; Human auditory cortex; Mismatch field; Paired and single tones; Neuromagnetic source localization (104) 1

Auditory evoked potential; Mismatch negativity; Statistical methods for evoked potentials; Signal detection theory (104) 359

Auditory evoked potentials; N_1; Arousal; Nitrous oxide; N_2O (104) 555

Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss; Kernels; Maximum length sequences; Non-linearity (104) 10

Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss; Otoacoustic emissions (104) 17

Auditory P1; Singular value decomposition; C-T ratio; Event-related potentials; Auditory P50; Interstimulus interval (104) 157

Auditory P50; Singular value decomposition; C-T ratio; Event-related potentials; Auditory P1; Interstimulus interval (104) 157

Auditory/visual stimuli; P300; Event-related potential (ERP); Single-stimulus paradigm; Active/passive tasks; Clinical/applied (104) 488

Auditory; Cortex; Evoked potentials; Tonotopy; Frequency; Dichotic; Latency; Temporal integration; Tone duration (104) 531

Autonomic nervous system; Transcranial magnetic stimulation; Repetitive stimulation; Safety (104) 207

BAEP; Auditory neuropathy; Cochlear microphonic potential; Hearing loss; Kernels; Maximum length sequences; Non-linearity (104) 10

BAEP; Auditory neuropathy; Cochlear microphonic potential; Hearing loss; Otoacoustic emissions (104) 17

Benzodiazepines; Intensive care; Coma; Midazolam; Middle latency auditory evoked potentials; Monitoring (104) 437

Bereitschaftspotential (BP); Contingent negative variation (CNV); Go/NoGo S2 choice reaction-time paradigm; Subdural electrodes (104) 257

0168-5597/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0168-5597(97)00088-9

EEP 20006

Binocular; Reversal; Onset/offset; Amblyopia (104) 74

Brain electrical source analysis (BESA); Giant SEPs; Cortical myoclonus (104) 122

Brain-stem auditory evoked potential (BAEP); Marmoset; Stimulus rate; Stimulus frequency; Tone burst stimulation (104) 43

Brain; Evoked potentials; Ozone; Environment; Geniculate nucleus; Visual cortex (104) 269

C-T ratio; Singular value decomposition; Event-related potentials; Auditory P50; Auditory P1; Interstimulus interval (104) 157

Carotid endarterectomy; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Vascular surgery; Stroke (104) 328

Carotid endarterectomy; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Vascular surgery; Stroke (104) 459

Cat; Visual evoked potential (VEP); Cholinergic agents; Primary visual cortex (V1); Lateral geniculate nucleus dorsalis (LGNd) (104) 375

Centrifugal mechanism; Somatosensory evoked potentials (SEPs); Gating; Aging; Voluntary movement; Stimulus intensity; Stimulus frequency (104) 108

Cerebellum; Magnetic stimulation; Motor cortex; Ataxia (104) 453

Cervical N13; Recovery function; Somatosensory evoked potential; Cuneate nucleus; Dorsal column (104) 68

Children; Event-related potentials; Theta response; P300-wave (104) 418

Children; Uroneurophysiology; Mechanical stimulation (104) 389

Cholinergic agents; Cat; Visual evoked potential (VEP); Primary visual cortex (V1); Lateral geniculate nucleus dorsalis (LGNd) (104) 375

Chronic pain; Evoked potential; Morphine; Laser evoked potentials; P300 (104) 514

Clinical/applied; P300; Event-related potential (ERP); Single-stimulus paradigm; Auditory/visual stimuli; Active/passive tasks (104) 488

Clustering; Evoked potential; Moving averages; Hopfield neural network; Monitoring (104) 151

Cochlear microphonic potential; Auditory neuropathy; BAEP; Hearing loss; Kernels; Maximum length sequences; Non-linearity (104) 10

Cochlear microphonic potential; Auditory neuropathy; BAEP; Hearing loss; Otoacoustic emissions (104) 17

Coherence; EEG; Event-related desynchronization; Event-related synchronization; Voluntary movement (104) 199

Coma; Intensive care; Benzodiazepines; Midazolam; Middle latency auditory evoked potentials; Monitoring (104) 437

Conducted waves; Somatosensory evoked potentials; Median nerve; Subpial recording; Long sensory tract deficit; Cuneate fascicle (104) 470

Contingent negative variation (CNV); Bereitschaftspotential (BP); Go/NoGo S2 choice reaction-time paradigm; Subdural electrodes (104) 257

Contrast; Visual acuity; Pattern reversal; Visual evoked potential (104) 96

Cortex; Auditory; Evoked potentials; Tonotopy; Frequency; Dichotic; Latency; Temporal integration; Tone duration (104) 531

Cortical dysgenesis; Epilepsy; Magnetic resonance imaging; Somatosensory evoked potentials (104) 132

Cortical myoclonus; Giant SEPs; Brain electrical source analysis (BESA) (104) 122

Cortical myoclonus; Proprioception-related SEPs; Muscle afferent; Pathogenesis of giant SEPs; Hyperexcitability of sensorimotor cortex (104) 51

Cortical potentials; Development; N1; P1 (104) 540

Cuneate fascicle; Somatosensory evoked potentials; Median nerve; Subpial recording; Conducted waves; Long sensory tract deficit (104) 470

Cuneate nucleus; Recovery function; Cervical N13; Somatosensory evoked potential; Dorsal column (104) 68

Cutaneous CO_2 laser stimulation; Evoked potential; Intramuscular electrical stimulation; Topographic mapping (104) 343

Development; Cortical potentials; N1; P1 (104) 540

Diabetic retinopathy; Electroretinogram; Visual evoked potentials; Photostress; Insulin-dependent diabetes; Macular function (104) 171

Dichotic; Auditory; Cortex; Evoked potentials; Tonotopy; Frequency; Latency; Temporal integration; Tone duration (104) 531

Dorsal column; Recovery function; Cervical N13; Somatosensory evoked potential; Cuneate nucleus (104) 68

Dysfunction; Amyotrophic lateral sclerosis; Lower limb evoked potentials; Pyramidal tract; Sensory system (104) 333

EEG; Event-related desynchronization; Event-related synchronization; Coherence; Voluntary movement (104) 199

Electroconvulsive shock; Flash visual evoked potential; Generalised seizure activity; Rat; Superior colliculus; Visual cortex (104) 180

Electroencephalography (EEG); Aging; Event-related potential (ERP); P3(00); Spectral analysis (104) 244

Electroencephalography; Magnetoencephalography; Passive movement; Muscle afferent; Joint inputs; Toe (104) 393

Electroretinogram; Visual evoked potentials; Photostress; Insulin-dependent diabetes; Diabetic retinopathy; Macular function (104) 171

Environment; Evoked potentials; Ozone; Brain; Geniculate nucleus; Visual cortex (104) 269

Epilepsy; Cortical dysgenesis; Magnetic resonance imaging; Somatosensory evoked potentials (104) 132

Event related potentials; Recognition memory; Amnesia; Neuropsychology (104) 222

Event-related desynchronization; EEG; Event-related synchronization; Coherence; Voluntary movement (104) 199

Event-related potential (ERP); Aging; Electroencephalography (EEG); P3(00); Spectral analysis (104) 244

Event-related potential (ERP); P300; Single-stimulus paradigm; Auditory/visual stimuli; Active/passive tasks; Clinical/applied (104) 488

Event-related potential; P3; Topography; Active oddball paradigm; Passive oddball paradigm; Rat (104) 447

Event-related potential; P300; Peak latency; Single sweep record; Physiological variability; Hypothesis test; Interval estimate (104) 431

Event-related potentials; Children; Theta response; P300-wave (104) 418

Event-related potentials; Language; Speech processing; Phonology; Word recognition (104) 213

Event-related potentials; Prematurity; Low birth-weight; Oddball effect; Topography (104) 228

Event-related potentials; Singular value decomposition; C-T ratio; Auditory P50; Auditory P1; Interstimulus interval (104) 157

Event-related potentials; Working memory; Retinotopic (104) 546

Event-related synchronization; EEG; Event-related desynchronization; Coherence; Voluntary movement (104) 199

Evoked potential; Intramuscular electrical stimulation; Cutaneous CO_2 laser stimulation; Topographic mapping (104) 343

Evoked potential; Morphine; Laser evoked potentials; P300; Chronic pain (104) 514

Evoked potential; Moving averages; Clustering; Hopfield neural network; Monitoring (104) 151

Evoked potentials; Auditory; Cortex; Tonotopy; Frequency; Dichotic; Latency; Temporal integration; Tone duration (104) 531

Evoked potentials; Linear acceleration; Otolith organs; Vestibular (104) 522

Evoked potentials; Ozone; Environment; Brain; Geniculate nucleus; Visual cortex (104) 269

Factor analysis; Middle latency auditory evoked potentials; P50; Reaction time; Sensory discrimination (104) 23

Flash visual evoked potential; Electroconvulsive shock; Generalised seizure activity; Rat; Superior colliculus; Visual cortex (104) 180

Frequency modulation; Steady-state evoked responses; Auditory development (104) 31

Frequency; Auditory; Cortex; Evoked potentials; Tonotopy; Dichotic; Latency; Temporal integration; Tone duration (104) 531

Frontal cortex; P3b component; Aging; Scalp topography (104) 498

Frontal cortex; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Human brain (104) 281

Frontal cortex; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Attention; Stimulus detection; Human brain (104) 290

Gating; Somatosensory evoked potentials (SEPs); Aging; Voluntary movement; Stimulus intensity; Centrifugal mechanism; Stimulus frequency (104) 108

Gating; Tibial nerve SEPs; Somatosensory evoked potentials; Movement; Somatosensory cortex (104) 312

Generalised seizure activity; Electroconvulsive shock; Flash visual evoked potential; Rat; Superior colliculus; Visual cortex (104) 180

Generator sources; Proprioception; Somatosensory evoked potentials; Subdural recording (104) 103

Generator sources; Visual evoked potentials; Optic tract; Posteroventral pallidotomy; Parkinson's disease (104) 274

Geniculate nucleus; Evoked potentials; Ozone; Environment; Brain; Visual cortex (104) 269

Giant SEPs; Cortical myoclonus; Brain electrical source analysis (BESA) (104) 122

Giant SEPs; Somatosensory evoked potentials; N20; Area 3a; Tumour (104) 60

Go/NoGo S2 choice reaction-time paradigm; Contingent negative variation (CNV); Bereitschaftspotential (BP); Subdural electrodes (104) 257

H-Reflex; Amyotrophic lateral sclerosis; Monitoring; Prognosis (104) 411

Hearing loss; Auditory neuropathy; BAEP; Cochlear microphonic potential; Kernels; Maximum length sequences; Non-linearity (104) 10

Hearing loss; Auditory neuropathy; BAEP; Cochlear microphonic potential; Otoacoustic emissions (104) 17

Hemispheric asymmetry; Magnetoencephalography; Somatosensory evoked magnetic fields (104) 480

Hopfield neural network; Evoked potential; Moving averages; Clustering; Monitoring (104) 151

Human auditory cortex; Auditory evoked magnetic field; Mismatch field; Paired and single tones; Neuromagnetic source localization (104) 1

Human brain; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex (104) 281

Human brain; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex; Attention; Stimulus detection (104) 290

Hyperexcitability of sensorimotor cortex; Proprioception-related SEPs; Muscle afferent; Cortical myoclonus; Pathogenesis of giant SEPs (104) 51

Hypothesis test; Event-related potential; P300; Peak latency; Single sweep record; Physiological variability; Interval estimate (104) 431

Infants; Prognostic value; Visual evoked potentials (VEP); Visual inattentiveness (104) 165

Insulin-dependent diabetes; Electroretinogram; Visual evoked potentials; Photostress; Diabetic retinopathy; Macular function (104) 171

Intensive care; Coma; Benzodiazepines; Midazolam; Middle latency auditory evoked potentials; Monitoring (104) 437

Inter-stimulus interval; Age; Olfactory stimulus; Olfactory event-related potential (OERP) (104) 351

Interstimulus interval; Singular value decomposition; C-T ratio; Event-related potentials; Auditory P50; Auditory P1 (104) 157

Interval estimate; Event-related potential; P300; Peak latency; Single sweep record; Physiological variability; Hypothesis test (104) 431

Intramuscular electrical stimulation; Evoked potential; Cutaneous CO_2 laser stimulation; Topographic mapping (104) 343

Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Aortic surgery (104) 115

Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery; Stroke (104) 328

Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery; Stroke (104) 459

Ipsilateral evoked potentials; Somatosensory evoked potentials; Median evoked potentials; Subdural recordings; Sensory cortical plasticity (104) 189

Joint inputs; Magnetoencephalography; Electroencephalography; Passive movement; Muscle afferent; Toe (104) 393

Kernels; Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss; Maximum length sequences; Non-linearity (104) 10

Language; Event-related potentials; Speech processing; Phonology; Word recognition (104) 213

Laser evoked potentials; Evoked potential; Morphine; P300; Chronic pain (104) 514

Latency; Auditory; Cortex; Evoked potentials; Tonotopy; Frequency; Dichotic; Temporal integration; Tone duration (104) 531

Lateral geniculate nucleus dorsalis (LGNd); Cat; Visual evoked potential (VEP); Cholinergic agents; Primary visual cortex (V1) (104) 375

Linear acceleration; Evoked potentials; Otolith organs; Vestibular (104) 522

Long sensory tract deficit; Somatosensory evoked potentials; Median nerve; Subpial recording; Conducted waves; Cuneate fascicle (104) 470

Low birth-weight; Prematurity; Event-related potentials; Oddball effect; Topography (104) 228

Lower limb evoked potentials; Amyotrophic lateral sclerosis; Pyramidal tract; Dysfunction; Sensory system (104) 333

Luminance stimulation; Visual evoked potentials; Oscillatory responses; Retinal eccentricity; Neuromagnetic fields; MEG (104) 91

Macular function; Electroretinogram; Visual evoked potentials; Photostress; Insulin-dependent diabetes; Diabetic retinopathy (104) 171

Magnetic resonance imaging; Cortical dysgenesis; Epilepsy; Somatosensory evoked potentials (104) 132

Magnetic stimulation; Motor cortex; Cerebellum; Ataxia (104) 453

Magnetoencephalography; Electroencephalography; Passive movement; Muscle afferent; Joint inputs; Toe (104) 393

Magnetoencephalography; Somatosensory evoked magnetic fields; Hemispheric asymmetry (104) 480

Magnetoneurography; Spinal somatosensory evoked response; Tibial nerve; SQUID; Root lesion (104) 322

Marmoset; Brain-stem auditory evoked potential (BAEP); Stimulus rate; Stimulus frequency; Tone burst stimulation (104) 43

Maturation; Pudendal evoked potential; Tibial evoked potential (104) 383

Maximum length sequences; Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss; Kernels; Non-linearity (104) 10

Mechanical stimulation; Uroneurophysiology; Children (104) 389

Medial lemniscus; Somatosensory evoked potential; Median nerve; P13/14 complex; N20 (104) 296

Median evoked potentials; Somatosensory evoked potentials; Ipsilateral evoked potentials; Subdural recordings; Sensory cortical plasticity (104) 189

Median nerve; Somatosensory evoked potential; P13/14 complex; N20; Medial lemniscus (104) 296

Median nerve; Somatosensory evoked potentials; Subpial recording; Conducted waves; Long sensory tract deficit; Cuneate fascicle (104) 470

Median nerve; Tibial nerve; Middle-latency; Second somatosensory cortex; Somatosensory evoked potential (104) 402

MEG; Somatosensory evoked fields; SI area; SII area; Posterior parietal cortex; Frontal cortex; Human brain (104) 281

MEG; Somatosensory evoked fields; SI area; SII area; Posterior parietal cortex; Frontal cortex; Attention; Stimulus detection; Human brain (104) 290

MEG; Visual evoked potentials; Oscillatory responses; Luminance stimulation; Retinal eccentricity; Neuromagnetic fields (104) 91

Midazolam; Intensive care; Coma; Benzodiazepines; Middle latency auditory evoked potentials; Monitoring (104) 437

Middle latency auditory evoked potentials; Intensive care; Coma; Benzodiazepines; Midazolam; Monitoring (104) 437

Middle latency auditory evoked potentials; P50; Factor analysis; Reaction time; Sensory discrimination (104) 23

Middle-latency; Median nerve; Tibial nerve; Second somatosensory cortex; Somatosensory evoked potential (104) 402

Mismatch field; Auditory evoked magnetic field; Human auditory cortex; Paired and single tones; Neuromagnetic source localization (104) 1

Mismatch negativity (MMN); Single (standard) auditory stimulus; Acoustically different (deviant) stimulus; Negative component; Statistical evaluation (104) 143

Mismatch negativity; Auditory evoked potential; Statistical methods for evoked potentials; Signal detection theory (104) 359

Monitoring; Amyotrophic lateral sclerosis; H-Reflex; Prognosis (104) 411

Monitoring; Evoked potential; Moving averages; Clustering; Hopfield neural network (104) 151

Monitoring; Intensive care; Coma; Benzodiazepines; Midazolam; Middle latency auditory evoked potentials (104) 437

Morphine; Evoked potential; Laser evoked potentials; P300; Chronic pain (104) 514

Motion onset VEP; Visual motion; Pattern VEP; Multiple sclerosis (104) 82

Motor cortex; Magnetic stimulation; Cerebellum; Ataxia (104) 453

Movement; Tibial nerve SEPs; Somatosensory evoked potentials; Gating; Somatosensory cortex (104) 312

Moving averages; Evoked potential; Clustering; Hopfield neural network; Monitoring (104) 151

Multiple sclerosis; Visual motion; Pattern VEP; Motion onset VEP (104) 82

Muscle afferent; Magnetoencephalography; Electroencephalography; Passive movement; Joint inputs; Toe (104) 393

Muscle afferent; Proprioception-related SEPs; Cortical myoclonus; Pathogenesis of giant SEPs; Hyperexcitability of sensorimotor cortex (104) 51

N_1; Auditory evoked potentials; Arousal; Nitrous oxide; N_2O (104) 555

N1; Cortical potentials; Development; P1 (104) 540

N20; Somatosensory evoked potentials; Giant SEPs; Area 3a; Tumour (104) 60

N_2O; N_1; Auditory evoked potentials; Arousal; Nitrous oxide (104) 555

Negative component; Single (standard) auditory stimulus; Acoustically different (deviant) stimulus; Mismatch negativity (MMN); Statistical evaluation (104) 143

Neuromagnetic fields; Visual evoked potentials; Oscillatory responses; Luminance stimulation; Retinal eccentricity; MEG (104) 91

Neuromagnetic source localization; Mismatch field; Auditory evoked magnetic field; Human auditory cortex; Paired and single tones; (104) 1

Neuromonitoring; Intraoperative monitoring; Somatosensory evoked potentials; Aortic surgery (104) 115

Neuromonitoring; Intraoperative monitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery; Stroke (104) 328

Neuromonitoring; Intraoperative monitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery; Stroke (104) 459

Neuropsychology; Recognition memory; Event related potentials; Amnesia (104) 222

Nitrous oxide; N_1; Auditory evoked potentials; Arousal; N_2O (104) 555

Non-linearity; Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss; Kernels; Maximum length sequences (104) 10

Oddball effect; Prematurity; Low birth-weight; Event-related potentials; Topography (104) 228

Olfactory event-related potential; Age; Olfactory stimulus; Inter-stimulus interval (OERP) (104) 351

Olfactory stimulus; Age; Inter-stimulus interval; Olfactory event-related potential (OERP) (104) 351

Onset/offset; Reversal; Binocular; Amblyopia (104) 74

Optic tract; Visual evoked potentials; Generator sources; Posteroventral pallidotomy; Parkinson's disease (104) 274

Oscillatory responses; Visual evoked potentials; Luminance stimulation; Retinal eccentricity; Neuromagnetic fields; MEG (104) 91

Otoacoustic emissions; Auditory neuropathy; BAEP; Cochlear microphonic potential; Hearing loss (104) 17

Otolith organs; Evoked potentials; Linear acceleration; Vestibular (104) 522

Ozone; Evoked potentials; Environment; Brain; Geniculate nucleus; Visual cortex (104) 269

P1; Cortical potentials; Development; N1 (104) 540

P100; Visual evoked potentials; Pattern reversal; Topography; Amplitude (104) 369

P13/14 complex; N20; Somatosensory evoked potential; Median nerve; Medial lemniscus (104) 296

P3(00); Aging; Electroencephalography (EEG); Event-related potential (ERP); Spectral analysis (104) 244

P3; Event-related potential; Topography; Active oddball paradigm; Passive oddball paradigm; Rat (104) 447

P300-wave; Children; Event-related potentials; Theta response (104) 418

P300; Event-related potential (ERP); Single-stimulus paradigm; Auditory/visual stimuli; Active/passive tasks; Clinical/applied (104) 488

P300; Event-related potential; Peak latency; Single sweep record; Physiological variability; Hypothesis test; Interval estimate (104) 431

P300; Evoked potential; Morphine; Laser evoked potentials; Chronic pain (104) 514

P3b component; Aging; Scalp topography; Frontal cortex (104) 498

P50; Middle latency auditory evoked potentials; Factor analysis; Reaction time; Sensory discrimination (104) 23

Paired and single tones; Mismatch field; Auditory evoked magnetic field; Human auditory cortex; Neuromagnetic source localization (104) 1

Parkinson's disease; Visual evoked potentials; Optic tract; Generator sources; Posteroventral pallidotomy (104) 274

Passive movement; Magnetoencephalography; Electroencephalography; Muscle afferent; Joint inputs; Toe (104) 393

Passive oddball paradigm; Event-related potential; P3; Topography; Active oddball paradigm; Rat (104) 447

Pathogenesis of giant SEPs; Proprioception-related SEPs; Muscle afferent; Cortical myoclonus; Hyperexcitability of sensorimotor cortex (104) 51

Pattern reversal; Contrast; Visual acuity; Visual evoked potential (104) 96

Pattern reversal; Visual evoked potentials; Topography; Amplitude; P100 (104) 369

Pattern VEP; Visual motion; Motion onset VEP; Multiple sclerosis (104) 82

Peak latency; Event-related potential; P300; Single sweep record; Physiological variability; Hypothesis test; Interval estimate (104) 431

Phonology; Language; Event-related potentials; Speech processing; Word recognition (104) 213

Photostress; Electroretinogram; Visual evoked potentials; Insulin-dependent diabetes; Diabetic retinopathy; Macular function (104) 171

Physiological variability; Event-related potential; P300; Peak latency; Single sweep record; Hypothesis test; Interval estimate (104) 431

Posterior parietal cortex; Somatosensory evoked fields; MEG; SI area; SII area; Frontal cortex; Human brain (104) 281

Posterior parietal cortex; Somatosensory evoked fields; MEG; SI area; SII area; Frontal cortex; Attention; Stimulus detection; Human brain (104) 290

Posteroventral pallidotomy; Visual evoked potentials; Optic tract; Generator sources; Parkinson's disease (104) 274

Prematurity; Low birth-weight; Event-related potentials; Oddball effect; Topography (104) 228

Primary visual cortex (V1); Cat; Visual evoked potential (VEP); Cholinergic agents; Lateral geniculate nucleus dorsalis (LGNd) (104) 375

Prognosis; Amyotrophic lateral sclerosis; H-Reflex; Monitoring (104) 411

Prognostic value; Visual evoked potentials (VEP); Infants; Visual inattentiveness (104) 165

Proprioception-related SEPs; Muscle afferent; Cortical myoclonus; Pathogenesis of giant SEPs; Hyperexcitability of sensorimotor cortex (104) 51

Proprioception; Somatosensory evoked potentials; Generator sources; Subdural recording (104) 103

Pudendal evoked potential; Tibial evoked potential; Maturation (104) 383

Pyramidal tract; Amyotrophic lateral sclerosis; Lower limb evoked potentials; Dysfunction; Sensory system (104) 333

Rat; Electroconvulsive shock; Flash visual evoked potential; Generalised seizure activity; Superior colliculus; Visual cortex (104) 180

Rat; Event-related potential; P3; Topography; Active oddball paradigm; Passive oddball paradigm (104) 447

Reaction time; Middle latency auditory evoked potentials; P50; Factor analysis; Sensory discrimination (104) 23

Recognition memory; Event related potentials; Amnesia; Neuropsychology (104) 222

Recovery function; Cervical N13; Somatosensory evoked potential; Cuneate nucleus; Dorsal column (104) 68

Repetitive stimulation; Transcranial magnetic stimulation; Autonomic nervous system; Safety (104) 207

Retinal eccentricity; Visual evoked potentials; Oscillatory responses; Luminance stimulation; Neuromagnetic fields; MEG (104) 91

Retinotopic; Working memory; Event-related potentials (104) 546

Reversal; Onset/offset; Binocular; Amblyopia (104) 74

Root lesion; Magnetoneurography; Spinal somatosensory evoked response; Tibial nerve; SQUID (104) 322

Safety; Transcranial magnetic stimulation; Repetitive stimulation; Autonomic nervous system (104) 207

Scalp topography; P3b component; Aging; Frontal cortex (104) 498

Second somatosensory cortex; Median nerve; Tibial nerve; Middle-latency; Somatosensory evoked potential (104) 402

Sensory cortical plasticity; Somatosensory evoked potentials; Median evoked potentials; Ipsilateral evoked potentials; Subdural recordings (104) 189

Sensory discrimination; Middle latency auditory evoked potentials; P50; Factor analysis; Reaction time(104) 23

Sensory system; Amyotrophic lateral sclerosis; Lower limb evoked potentials; Pyramidal tract; Dysfunction (104) 333

SI area; Somatosensory evoked fields; MEG; SII area; Posterior parietal cortex; Frontal cortex; Human brain (104) 281

SI area; Somatosensory evoked fields; MEG; SII area; Posterior parietal cortex; Frontal cortex; Attention; Stimulus detection; Human brain (104) 290

Signal detection theory; Auditory evoked potential; Mismatch negativity; Statistical methods for evoked potentials (104) 359

SII area; Somatosensory evoked fields; MEG; SI area; Posterior parietal cortex; Frontal cortex; Human brain (104) 281

SII area; Somatosensory evoked fields; MEG; SI area; Posterior parietal cortex; Frontal cortex; Attention; Stimulus detection; Human brain (104) 290

Single (standard) auditory stimulus; Acoustically different (deviant) stimulus; Negative component; Mismatch negativity (MMN); Statistical evaluation (104) 143

Single sweep record; Event-related potential; P300; Peak latency; Physiological variability; Hypothesis test; Interval estimate (104) 431

Single-stimulus paradigm; P300; Event-related potential (ERP); Auditory/visual stimuli; Active/passive tasks; Clinical/applied (104) 488

Singular value decomposition; C-T ratio; Event-related potentials; Auditory P50; Auditory P1; Interstimulus interval (104) 157

Somatosensory cortex; Tibial nerve SEPs; Somatosensory evoked potentials; Movement; Gating (104) 312

Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex; Human brain (104) 281

Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex; Attention; Stimulus detection; Human brain (104) 290

Somatosensory evoked magnetic fields; Magnetoencephalography; Hemispheric asymmetry (104) 480

Somatosensory evoked potential; Median nerve; P13/14 complex; N20; Medial lemniscus (104) 296

Somatosensory evoked potential; Median nerve; Tibial nerve; Middle-latency; Second somatosensory cortex (104) 402

Somatosensory evoked potential; Recovery function; Cervical N13; Cuneate nucleus; Dorsal column (104) 68

Somatosensory evoked potentials (SEPs); Gating; Aging; Voluntary movement; Stimulus intensity; Centrifugal mechanism; Stimulus frequency (104) 108

Somatosensory evoked potentials; Cortical dysgenesis; Epilepsy; Magnetic resonance imaging (104) 132

Somatosensory evoked potentials; Giant SEPs; N20; Area 3a; Tumour (104) 60

Somatosensory evoked potentials; Intraoperative monitoring; Neuromonitoring; Aortic surgery (104) 115

Somatosensory evoked potentials; Intraoperative monitoring; Neuromonitoring; Carotid endarterectomy; Vascular surgery; Stroke (104) 328

Somatosensory evoked potentials; Intraoperative monitoring; Neuromonitoring; Carotid endarterectomy; Vascular surgery; Stroke (104) 459

Somatosensory evoked potentials; Median evoked potentials; Ipsilateral evoked potentials; Subdural recordings; Sensory cortical plasticity (104) 189

Somatosensory evoked potentials; Median nerve; Subpial recording; Conducted waves; Long sensory tract deficit; Cuneate fascicle (104) 470

Somatosensory evoked potentials; Proprioception; Generator sources; Subdural recording (104) 103

Somatosensory evoked potentials; Tibial nerve SEPs; Movement; Gating; Somatosensory cortex (104) 312

Spectral analysisAging; Electroencephalography (EEG); Event-related potential (ERP); P3(00) (104) 244

Speech processing; Language; Event-related potentials; Phonology; Word recognition (104) 213

Spinal somatosensory evoked response; Magnetoneurography; Tibial nerve; SQUID; Root lesion (104) 322

SQUID; Magnetoneurography; Spinal somatosensory evoked response; Tibial nerve; Root lesion (104) 322

Statistical evaluation; Single (standard) auditory stimulus; Acoustically different (deviant) stimulus; Negative component; Mismatch negativity (MMN) (104) 143

Statistical methods for evoked potentials; Auditory evoked potential; Mismatch negativity; Signal detection theory (104) 359

Steady-state evoked responses; Frequency modulation; Auditory development (104) 31

Stimulus detection; Somatosensory evoked fields; MEG; SI area; SII area; Posterior parietal cortex; Frontal cortex; Attention; Human brain (104) 290

Stimulus frequency; Brain-stem auditory evoked potential (BAEP); Marmoset; Stimulus rate; Tone burst stimulation (104) 43

Stimulus frequency; Somatosensory evoked potentials (SEPs); Gating; Aging; Voluntary movement; Stimulus intensity; Centrifugal mechanism (104) 108

Stimulus intensity; Somatosensory evoked potentials (SEPs); Gating; Aging; Voluntary movement; Centrifugal mechanism; Stimulus frequency (104) 108

Stimulus rate; Brain-stem auditory evoked potential (BAEP); Marmoset; Stimulus frequency; Tone burst stimulation (104) 43

Stroke; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery (104) 328

Stroke; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Vascular surgery (104) 459

Subdural electrodes; Contingent negative variation (CNV);

Bereitschaftspotential (BP); Go/NoGo S2 choice reaction-time paradigm (104) 257

Subdural recording; Proprioception; Somatosensory evoked potentials; Generator sources (104) 103

Subdural recordings; Somatosensory evoked potentials; Median evoked potentials; Ipsilateral evoked potentials; Sensory cortical plasticity (104) 189

Subpial recording; Somatosensory evoked potentials; Median nerve; Conducted waves; Long sensory tract deficit; Cuneate fascicle (104) 470

Superior colliculus; Electroconvulsive shock; Flash visual evoked potential; Generalised seizure activity; Rat; Visual cortex (104) 180

Temporal integration; Auditory; Cortex; Evoked potentials; Tonotopy; Frequency; Dichotic; Latency; Tone duration (104) 531

Theta response; Children; Event-related potentials; P300-wave (104) 418

Tibial evoked potential; Pudendal evoked potential; Maturation (104) 383

Tibial nerve SEPs; Somatosensory evoked potentials; Movement; Gating; Somatosensory cortex (104) 312

Tibial nerve; Magnetoneurography; Spinal somatosensory evoked response; SQUID; Root lesion (104) 322

Tibial nerve; Median nerve; Middle-latency; Second somatosensory cortex; Somatosensory evoked potential (104) 402

Toe; Magnetoencephalography; Electroencephalography; Passive movement; Muscle afferent; Joint inputs (104) 393

Tone burst stimulation; Brain-stem auditory evoked potential (BAEP); Marmoset; Stimulus rate; Stimulus frequency (104) 43

Tone duration; Auditory; Cortex; Evoked potentials; Tonotopy; Frequency; Dichotic; Latency; Temporal integration (104) 531

Tonotopy; Auditory; Cortex; Evoked potentials; Frequency; Dichotic; Latency; Temporal integration; Tone duration (104) 531

Topographic mapping; Evoked potential; Intramuscular electrical stimulation; Cutaneous CO_2 laser stimulation (104) 343

Topography; Event-related potential; P3; Active oddball paradigm; Passive oddball paradigm; Rat (104) 447

Topography; Prematurity; Low birth-weight; Event-related potentials; Oddball effect (104) 228

Topography; Visual evoked potentials; Pattern reversal; Amplitude; P100 (104) 369

Transcranial magnetic stimulation; Repetitive stimulation; Autonomic nervous system; Safety (104) 207

Tumour; Somatosensory evoked potentials; Giant SEPs; N20; Area 3a (104) 60

Uroneurophysiology; Mechanical stimulation; Children (104) 389

Vascular surgery; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Stroke (104) 328

Vascular surgery; Intraoperative monitoring; Neuromonitoring; Somatosensory evoked potentials; Carotid endarterectomy; Stroke (104) 459

Vestibular; Evoked potentials; Linear acceleration; Otolith organs (104) 522

Visual acuity; Contrast; Pattern reversal; Visual evoked potential (104) 96

Visual cortex; Electroconvulsive shock; Flash visual evoked potential; Generalised seizure activity; Rat; Superior colliculus (104) 180

Visual cortex; Evoked potentials; Ozone; Environment; Brain; Geniculate nucleus (104) 269

Visual evoked potential (VEP); Cat; Cholinergic agents; Primary visual cortex (V1); Lateral geniculate nucleus dorsalis (LGNd) (104) 375

Visual evoked potential; Contrast; Visual acuity; Pattern reversal (104) 96

Visual evoked potentials; Electroretinogram; Photostress; Insulin-dependent diabetes; Diabetic retinopathy; Macular function (104) 171

Visual evoked potentials; Optic tract; Generator sources; Posteroventral pallidotomy; Parkinson's disease (104) 274

Visual evoked potentials; Pattern reversal; Topography; Amplitude; P100 (104) 369

Visual evoked potentials; Prognostic value; Infants; Visual inattentiveness (104) 165

Visual inattentiveness; Prognostic value; Visual evoked potentials (VEP); Infants (104) 165

Visual motion; Pattern VEP; Motion onset VEP; Multiple sclerosis (104) 82

Voluntary movement; EEG; Event-related desynchronization; Event-related synchronization; Coherence (104) 199

Voluntary movement; Somatosensory evoked potentials (SEPs); Gating; Aging; Stimulus intensity; Centrifugal mechanism; Stimulus frequency (104) 108

Word recognition; Language; Event-related potentials; Speech processing; Phonology (104) 213

Working memory; Event-related potentials; Retinotopic (104) 546